



REF	PART NO.	QTY	DESCRIPTION	NOTES
1	846602	1	Regulator	
2	870801	1	· Regulator weight	REPL BY 848220
	848220	1	· Regulator weight	
3	25464	1	· Key	
4	238994	1	· Nut	
5	238995	1	· Washer	
6	6211236	1	· Gasket	
7	845423	1	· Housing	
8	845425	1	· Screw	
9	955781	1	· Nut	
10	846659	1	· Cover	
11	870878	1	· Bushing	
12	6642406	X	· Adjusting washer	TH = 0.2 MM
12	870877	X	· Adjusting washer	TH = 0.3 MM
	239008	X	· Washer	TH = 0.4 MM
	239009	X	· Washer	TH = 1.0 MM
13	240373	1	· Arm	
14	241008	1	· Arm	
15	239017	1	· Shaft	
16	240374	2	· Plug	
17	239019	1	· Cover	
18	239020	1	· Nut	
19	239021	1	· Screw	
20	955781	1	· Nut	
21	240375	1	· Lever	
22	240376	1	· Cube	
23	951667	2	· Lock ring	
24	240377	1	· Link	
25	845007	1	· Pin	
26	240390	1	· Pin	
27	870887	1	· Control arm	
28	239031	1	· Screw	
29	240382	2	· Bushing	
30	240383	2	· Ring	
31	942796	2	· Retaining ring	
32	239037	1	· Cover	(239036)
33	240063	1	· Sealing ring	
34	233994	X	· Adjusting washer	TH = 0.5 MM
	238132	X	· Adjusting washer	TH = 1.0 MM
35	239039	1	· Arm	
36	955270	1	· Screw	
37	941906	1	· Spring washer	
38	955892	1	· Washer	
39	243643	1	· Spring	
40	845432	1	· Spring	
41	240919	1	· Plug	

REF	PART NO.	QTY	DESCRIPTION	NOTES
42	239048	1	· Bushing	
43	239049	1	· Shaft	
44	870917	1	· Lever	
45	239051	1	· Sleeve	
46	240387	1	· Spring	
46A	240386	1	· Spring	
46B	240388	1	· Spring	
47	870916	1	· Brace	
48	239058	1	· Ring	
48A	239059	1	· Cover	
48B	239056	1	· Spring	
49		1	· STOP LEVER	SEE GROUP 2D
50	955270	1	· Screw	
51	941906	1	· Spring washer	
52	239042	1	· Screw	(870895)
53	845426	1	· Nut	
54	239044	1	· Screw	
55	239045	1	· Spring	
56	18839	2	· Gasket	
57	870637	1	· Nut	
58	870900	1	· Nut	
59	845433	1	· Cover	
60	240394	1	· O-ring	
61	870935	2	· Screw	
62	955269	2	· Screw	
63	6210701	1	· Screw	
	6210703	1	· Screw	
64	845424	1	· Retainer	
65	956100	2	· Screw	
66	956097	4	· Screw	
67	244555	1	· Plug	
68	238959	1	· Washer	
69	6643417	1	· Gasket	(6643714)
70	845427	1	· Attaching plate	
71	845428	2	· Rivet	
72	845429	X	· Washer	TH = 0.10 MM
	845430	X	· Washer	TH = 0.25 MM
	845431	X	· Washer	TH = 0.40 MM
73	244552	4	· Retainer	